



**SMITH**  
EQUIPMENT

# **Fast Attack High Capacity Steel Cutting Outfit**

- **Building Collapse & Extrication**
- **Train & Truck Extrication**
- **Forcible Entry**
- **Ag Rescue**
- **Fabrication & Maintenance**



PATENT PENDING

**SMITH**  
EQUIPMENT<sup>®</sup>

Smith Equipment  
2601 Lockheed Avenue  
Watertown, South Dakota 57201

U.S. Postage  
**PAID**

Watertown, SD 57201  
Permit No. XXX



# 911 Rescue-Oxy-Fuel Cutting Outfit




- 1** Large pivoting lifting ring
- 2** Quick release hose lever
- 3** Lexan® gauge guards
- 4** Over center clamp locks cylinders safely in place
- 5** Heavy duty non-corrosive brass regulators
- 6** 50' X 3/16" hose
- 7** Tough, powder coated steel frame protects gear
- 8** Easy to read tip pressure setting chart
- 9** Spring-loaded snap-open accessories box
- 10** Large diameter wheels roll easily over obstructions
- 11** Tank opening wrench chained to regulator
- 12** Kit comes complete with;
  - Torch lighter
  - Heavy duty leather gloves
  - 5-cutting tips for cutting up to 12"
  - Cutting tip cleaner
  - Multi-wrench for cylinders and hoses/tank key
  - Cutting goggles (fits over glasses, shade 5 lens)
  - Operations manual
- 13** High Capacity, highly portable. Fits most Fire and Rescue truck compartments
- 14** Complete with comprehensive safety and operations video covers all facets of safe operation and oxy-fuel equipment (DVD's and Cd's are also available)





# 911 Rescue And Maintenance Applications

- A** Satisfies ISO forced-entry metal cutting requirements.
- B** High capacity for fast cutting and extended gas longevity. Derailment heavy cutting capacity.
- C** Cuts up to 12" thick steel. Building collapse extrication.



- D** Highly portable, gets you on-site quick and safe. High speed cutting for grain-bin extrication.
- E** Power take-off removal.
- F** Extrication from bailers and combines.





# Designed And Recommended By Collapse And Extrication Trainers



## Features And Benefits

- Super strong frame protects cylinders and regulators from damage
- Quick release hose design allows rapid tangle free deployment
- 50' hose provides 100' work diameter
- Compact size fits most truck compartments (39" X 18" X 11-1/2")
- Large semi pneumatic wheels roll easily over obstacles
- Hard hat gauge® covers protect gauges from damage
- Uses Smith's super tough Dual Guard Torch with built in head flash arrestor for maximum operator safety
- Provides excellent gas capacity for long periods of cutting
- Made in the USA / ISO 9001 Certified Quality System


## Contact Information:

Contact Smith Customer Service for a dealer near you:

**1.800.843.7912**

Visit us online at:

**[smithequipment.com](http://smithequipment.com)**



## Extra Heavy Duty Patented Dual Guard High Capacity Torch Is Covered By A Lifetime Warranty

- 1 Slip-In tips require no wrench for fast changes
- 2 In-head flashback arrestor for maximum operator safety
- 3 Tough manganese bronze hammer style head
- 4 Heavy wall stainless steel tubes for strength and high flow capacity
- 5 Ergonomic handle with raised ribs for positive grip
- 6 Reversible forged brass cutting lever
- 7 Stainless steel ball style valves for positive shut-off every time

## Specifications:

- 50' X 3/16" cutting hose, 100' work diameter
- Cylinder Capacities: Acetylene 40 cu.ft;  
Oxygen 80 cu.ft.
- Weight 160 lbs. / Torch 21" Length
- Max. steel cutting thickness capacity -12"
- Torch & Regulators UL listed
- Made in the USA / ISO 9001 Certified Quality System
- Dimensions: 38" X 18" X 11-1/2"
- Patent Pending (Torch & Cylinder Carrier)

